



Customer: NW Natural Goods
 United States of America (USA)
Product identity: BEV-DWP B-2-1 T4
Metrc ID: .
Metrc Source ID:
Material: Cannabinoid Beverage
Sample Date:
Laboratory ID: 25-003075-0004
Evidence of Cooling: No
Temp: 19.6 °C
Serving Size #1: 355 ml
Density (as Provided): 1.02 g/ml

Sample Results

Potency **Method:** J AOAC 2015 V98-6 (mod)^b **Batch:** 2502144 **Analyze:** 2025-03-25 15:29:00

Analyte	Result	Units	LOQ	Notes	Serving Size #1		
					Result	Units	LOQ
CBC	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBC-A	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBC-Total	< LOQ	%	0.0002		< LOQ	mg/355ml	0.675
CBD [±]	0.00560	%	0.0001		20.3	mg/355ml	0.360
CBD-A [±]	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBD-Total [±]	0.00560	%	0.0002		20.3	mg/355ml	0.675
CBDV	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBDV-A	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBDV-Total	< LOQ	%	0.0002		< LOQ	mg/355ml	0.671
CBE	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBG	0.000141	%	0.0001		0.510	mg/355ml	0.360
CBG-A	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBG-Total	< LOQ	%	0.0002		< LOQ	mg/355ml	0.671
CBL	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBL-A	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBL-Total	< LOQ	%	0.0002		< LOQ	mg/355ml	0.675
CBN	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
CBT	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ10-THC-9R	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ10-THC-9S	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ10-THC-Total	< LOQ	%	0.0002		< LOQ	mg/355ml	0.719
Δ8-THC [±]	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ8-THCV	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ9-THC [±]	0.000480	%	0.0001		1.74	mg/355ml	0.360
Δ9-THC-A [±]	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ9-THC-Total [±]	0.000480	%	0.0002		1.74	mg/355ml	0.675
Δ9-THCP	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ9-THCV	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360
Δ9-THCV-A	< LOQ	%	0.0001		< LOQ	mg/355ml	0.360



Potency					Method: J AOAC 2015 V98-6 (mod) ^b					Batch: 2502144		Analyze: 2025-03-25 15:29:00							
Analyte					Result					Serving Size #1									
										Units									
										LOQ									
										Notes									
Δ9-THCV-Total					< LOQ					mg/355ml 0.671									
exo-THC					< LOQ					mg/355ml 0.360									
Total Cannabinoids					0.00622					%					22.5 mg/355ml				



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-003075/D004.R000
Report Date: 03/27/2025
ORELAP#: OR100028
Purchase Order:
Received: 03/24/25 11:18

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% = Percentage of sample

mg/355ml = Milligram per 355ml

% wt = µg/g divided by 10,000



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-003075/D004.R000
Report Date: 03/27/2025
ORELAP#: OR100028
Purchase Order:
Received: 03/24/25 11:18



**Hemp & Cannabis
Chain of Custody**

**NW-Natural-Goods-
1742569295**

Company Details Company: NW Natural Goods Contact: <u>joshua Hood</u> Street Address: <u>11791 SE HWY 212</u> City, State, Zip: <u>clackamas, OR 97015</u> Email: <u>jhood@naturalgoods.com</u> Contact Phone: <u>9712852015</u> Company Phone: <u>9712852015</u> Billing Information Billing Phone: <u>9712852015</u> Billing Email: <u>jhood@naturalgoods.com</u>			Project Details Turnaround Time: <u>5 Business Days</u> <u>Req. For Micro Testing</u> <u>Standard</u> <u>Relinquishment</u> <u>Sampling, Courier & Shipping Options: Pick-Up Courier Service</u> Project Name / ID: <u>BEV-DWP B-2-1 TANK POTENCY</u> Pick-Up Details Pick-Up Location Name: <u>NW Natural Goods</u> Contact Phone: <u>9712852015</u> Address Line 1: <u>11791 SE HWY 212</u> City, State, Zip: <u>clackamas, OR 97015</u> Receipt Information Evidence of Cooling?: <u>No</u> Sample Condition: <u>Satisfactory</u> Prelog Storage: <u>Canna Shelves</u>			Testing H0010 - Potency Cannabis (Basic+ Expanded)
#	Sample Name	Material	Amount Provided	Reporting Unit	Serving Size	
1	BEV-DWP B-2-1 T1	Cannabinoid Beverage	2 each	mg/g & mg/serving	355 g	✓
2	BEV-DWP B-2-1 T2	Cannabinoid Beverage	2 each	mg/g & mg/serving	355 g	✓
3	BEV-DWP B-2-1 T3	Cannabinoid Beverage	2 each	mg/g & mg/serving	355 g	✓
4	BEV-DWP B-2-1 T4	Cannabinoid Beverage	2 each	mg/g & mg/serving	355 g	✓

Relinquished By	Date	Time		Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>JOSH HOOD</i>	<i>03/21/2025</i>	<i>08:01</i>	Temp., °C	<i>BCR</i>	<i>03/24/2025</i>	<i>10:34</i>	<i>NA</i>	<i>NA</i>
<i>BCR</i>	<i>03/24/2025</i>	<i>11:11</i>	<i>19.6</i>	<i>dst</i>	<i>03/24/2025</i>	<i>11:18</i>	<i>19.6</i>	<i>Other</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com


Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2502144**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0010	0.0010	%	97.3	80.0 - 120	Acceptable	
CBDV	2	0.00103	0.00104	%	98.3	80.0 - 120	Acceptable	
CBE	2	0.00103	0.00103	%	100	80.0 - 120	Acceptable	
CBDA	1	0.00103	0.00106	%	97.6	90.0 - 110	Acceptable	
CBGA	1	0.00101	0.00103	%	97.8	80.0 - 120	Acceptable	
CBG	1	0.00101	0.00101	%	100	80.0 - 120	Acceptable	
CBD	1	0.0010	0.0010	%	99.4	90.0 - 110	Acceptable	
THCV	2	0.00101	0.00101	%	100	80.0 - 120	Acceptable	
d8THCV	2	0.00108	0.00108	%	99.7	80.0 - 120	Acceptable	
THCVA	2	0.0009	0.0010	%	98.1	80.0 - 120	Acceptable	
CBN	1	0.0010	0.00100	%	99.9	80.0 - 120	Acceptable	
exo-THC	2	0.0010	0.0010	%	100	80.0 - 120	Acceptable	
d9THC	1	0.00102	0.0010	%	102	90.0 - 110	Acceptable	
d8THC	1	0.00105	0.00104	%	101	90.0 - 110	Acceptable	
9S-d10THC	1	0.00107	0.00107	%	100	80.0 - 120	Acceptable	
CBL	2	0.0010	0.0010	%	98.9	80.0 - 120	Acceptable	
9R-d10THC	1	0.00107	0.00107	%	99.9	80.0 - 120	Acceptable	
CBC	2	0.00104	0.00104	%	100	80.0 - 120	Acceptable	
THCA	1	0.00109	0.00112	%	96.8	90.0 - 110	Acceptable	
CBCA	2	0.0010	0.00100	%	98.7	80.0 - 120	Acceptable	
CBLA	2	0.0010	0.00100	%	99.0	80.0 - 120	Acceptable	
d9THCP	2	0.0010	0.00101	%	98.8	80.0 - 120	Acceptable	
CBT	2	0.00102	0.00103	%	98.8	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBDV	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBE	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBDA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBGA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBG	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBD	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCV	<LOQ	0.0001	%	< 0.0001	Acceptable	
d8THCV	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCVA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBN	<LOQ	0.0001	%	< 0.0001	Acceptable	
exo-THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
d9THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
d8THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
9S-d10THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBL	<LOQ	0.0001	%	< 0.0001	Acceptable	
9R-d10THC	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBC	<LOQ	0.0001	%	< 0.0001	Acceptable	
THCA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBCA	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBLA	<LOQ	0.0001	%	< 0.0001	Acceptable	
d9THCP	<LOQ	0.0001	%	< 0.0001	Acceptable	
CBT	<LOQ	0.0001	%	< 0.0001	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6			Batch ID: 2502144					
Sample Duplicate			Sample ID: 24-006869-0004					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBG	0.0004	0.0004	0.0001	%	0.989	< 20	Acceptable	
CBD	0.0142	0.0146	0.0001	%	2.76	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0001	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-003075/D004.R000
Report Date: 03/27/2025
ORELAP#: OR100028
Purchase Order:
Received: 03/24/25 11:18





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.